DTV Wage Examples - Technician

Weekly			Hourly			
Step	Now	New		Step	Now	New
1	\$563.50	\$585.50		1	\$14.09	\$14.64
2	\$599.00	\$625.00		2	\$14.98	\$15.63
3	\$637.00	\$667.50		3	\$15.93	\$16.69
4	\$677.00	\$712.50		4	\$16.93	\$17.81
5	\$720.00	\$760.50		5	\$18.00	\$19.01
6	\$765.50	\$812.00		6	\$19.14	\$20.30
7	\$814.00	\$867.00		7	\$20.35	\$21.68
8	\$865.50	\$925.50		8	\$21.64	\$23.14
9	\$920.00	\$988.00		9	\$23.00	\$24.70
10	\$978.00	\$1,054.50		10	\$24.45	\$26.36
11	\$1,040.00	\$1,126.00		11	\$26.00	\$28.15

Weekly Schedules Today and September 2017

Examples

Example 1 – \$1,040.00/week

Their current rate of \$1,040.00/week is assigned an equivalent wage step of 11 on the April 2015 Premises Technician wage table. On September 3, 2017, they would be moved to step 11 on the August 2017 Premises Technician wage table which is \$1,126.00/week.

A \$1,092 estimated retroactive payment back to January 2017, calculated as follows:

\$1,040.00/week x 3.0% x 35 weeks = \$1,092

This could be larger if the employee worked any overtime.

Example 2 – \$765.60/week

Their current rate of \$765.60/week is assigned an equivalent wage step of 6 (since it is within \$0.20 of the step 6 rate) on the April 2015 Premises Technician wage table. On September 3, 2017, they would be moved to step 6 on the August 2017 Premises Technician wage table which is \$812.00/week.

An \$804 estimated retroactive payment back to January 2017, calculated as follows:

```
$765.60/week x 3.0% x 35 weeks = $804
```

This could be larger if the employee worked any overtime.

Example 3 – \$840.00/week

Their current rate of \$840.00/week is assigned an equivalent wage step of 8 (since it is more than \$0.20/week over the step 7 rate) on the April 2015 Premises Technician wage table. On September 3, 2017, they would be moved to step 8 on the August 2017 Premises Technician wage table which is \$925.50/week.

An \$882 estimated retroactive payment back to January 2017, calculated as follows:

```
$840.00/week x 3.0% x 35 weeks = $882
```

This could be larger if the employee worked any overtime.

Example 4 - \$563.50/week

Their current rate of \$563.50/week is assigned an equivalent wage step of 1 on the April 2015 Premises Technician wage table. On September 3, 2017, they would be moved to step 1 on the August 2017 Premises Technician wage table which is \$585.50/week.

A \$591 estimated retroactive payment back to January 2017, calculated as follows:

\$563.50/week x 3.0% x 35 weeks = \$591

This could be larger if the employee worked any overtime.